

PURE

PRODUCT DATASHEET 2018



TECHNICAL DATA (EN 13489)		
Reaction to fire	EN 14342 Table 1 (when applicable) / EN 13501	Dfl-s1
Emission of formaldehyde	EN 14342	E1
Brinell hardness (average value)	(BHN) EN1534	
Maple		4,8
Ash		4,0
Beech		3,8
Oak		3,7
Walnut		3,2
Birch	2,6	
Taber Abraser/Lacquer's wear resistance	EN 13696	4000
Protoco Lacquer		3500
Protoco Natura		N/A
Protoco Hardwax Oil		
<i>These typical values are not applicable for stained, brushed or hardwax oiled products.</i>		
Reduction of sound weighted index ΔL_w in dB with 2 mm Tarkofoam/flex II	NF EN ISO 140-8 / Acc to NF EN ISO 717-2	17
Thermal insulation value (RT m ² K/W) board only with rag felt with 2 mm Tarkofoam/flex II	EN ISO 10456:2007	0,101 0,121 0,141
Thermal conductivity (W/m K) 13 mm 14 mm	EN 12664 / EN 14342:2013	0,104 0,11

INSTALLATION	
Installation method	2-lock for floating or glue down
Installation instruction	Download from www.tarkett.com Contact your supplier for more details
Underfloor heating compatible *	Maximum floor surface temperature 27°C with self-regulating under-floor heat system.
Start & Stop: Shorter lengths of planks included in approx. 1 pack per 20 m ²	
* Not suitable for the woodspecies beech and maple.	

RECOMMENDED ACCESSORIES	
Installation	Tarkofoam II / Tarkoflex II Installation kit
Aesthetics	Skirting, Pipe covers Transition moulding
Care & Maintenance	Wood Floor Care Kit / Spray Mop Kit Bioclean, Refresher
See more alternatives and the complete range of accessories @ www.tarkett.com	

DIMENSIONS & PACKAGE	13x 162x2000	13x 162x2200	13x 190x2000	13x 190x2200	13x 194x2281
Thickness EN 13489 (mm)	13	13	13	13	13
Width (mm)	162	162	190	190	194
Length (mm)	2000	2200	2000	2200	2281
Wear layer thickness (mm)	2,5	2,5	2,5	2,5	2,5
Boards/pack	6	6	6	6	6
m ² /pack	1,94	2,14	2,28	2,51	2,66
m ² /pallet	69,84	77,04	79,80	87,85	106,4
Net weight/m ² (kg)	7,3	7,3	7,3	7,3	7,3

DIMENSIONS & PACKAGE	14x 117x1245	14x 162x2000	14x 162x2200	14x 190x2000	14x 190x2200	14x 194x2281
Thickness EN 13489 (mm)	14	14	14	14	14	14
Width (mm)	117	162	162	190	190	194
Length (mm)	1245	2000	2200	2000	2200	2281
Wear layer thickness (mm)	3,5	3,5	3,5	3,5	3,5	3,5
Boards/pack	8	6	6	6	6	6
m ² /pack	1,17	1,94	2,14	2,28	2,51	2,66
m ² /pallet	65,52	69,84	77,04	79,80	87,85	93,10
Net weight/m ² (kg)	7,9	7,9	7,9	7,9	7,9	~7,9

Due to the nature of the material this table shows typical values.

MAINTENANCE
Tarkett wooden floors have a Protoco surface treatment and therefore a strong protection against normal wear, abrasion, scratches and stains. Some floors will require more frequent maintenance for increased life span. Generally these products are light coloured floors and hardwax oiled floors, particularly with brushed surface and/or highlighted details, such as saw marks. Please always refer to maintenance guidance available on websites.
See maintenance instructions @ www.tarkett.com

Pure 13 mm Protoco Lacquer / Protoco Natura / 14 mm Protoco Hardwax Oil

TARKETT SUSTAINABILITY TAG	98 % 98 %	100 %
	Natural Renewable	Recyclable

Pure 14 mm Protoco Lacquer / Protoco Natura

TARKETT SUSTAINABILITY TAG	97 % 97 %	100 %
	Natural Renewable	Recyclable



PURE

DESIGN

The authentic design of Mother Nature is left untouched in this collection in order to preserve and enhance the unique character of each board and to create floors with an everlasting style.

PRODUCT DATA	Material code	Dimensions (mm)			Pattern	Surface treatment	Surface effect	Bevel (2 side)	Stained	DoP no.
		Thickness	Width	Length						
Pure Birch TreS	8540002	14	194	2 281	3-strip	Proteco Lacquer	-	-	No	0020-0106
Pure Maple Nature TreS	8517003	14	194	2 281	3-strip	Proteco Lacquer	-	-	No	0020-0106
Pure Ash Nature TreS	7965005	14	194	2 281	3-strip	Proteco Lacquer	-	-	No	0020-0106
	7965008	14	194	2 281	3-strip	Proteco Natura	-	-	No	0020-0106
Pure Beech Nature TreS	7930003	14	194	2 281	3-strip	Proteco Lacquer	-	-	No	0020-0106
Pure Oak Select TreS	7870024	14	194	2 281	3-strip	Proteco Lacquer	-	-	No	0020-0106
Pure Oak Nature Plank XT	7877027	14	190	2 200	1-strip	Proteco Natura	-	Minibevel	No	0190-0105
	7877028	14	190	2 000	1-strip	Proteco Natura	-	Minibevel	No	0190-0105
Pure Oak Nature Plank	7876001	14	162	2 200	1-strip	Proteco Lacquer	-	Minibevel	No	0190-0105
	7876070	14	162	2 200	1-strip	Proteco Natura	-	Minibevel	No	0190-0105
	7876069	14	162	2 000	1-strip	Proteco Natura	-	Minibevel	No	0190-0105
	7878002	13	162	2 200	1-strip	Proteco Natura	-	Minibevel	No	0190-0103
	7878001	13	162	2 000	1-strip	Proteco Natura	-	Minibevel	No	0190-0103
Pure Oak Nature MiniPlank	8720020	14	117	1 245	1-strip	Proteco Natura	Brushed	Minibevel	No	0190-0105
Pure Oak Nature DuoPlank	8727002	13	194	2 281	2-strip	Proteco Natura	-	-	No	0020-0104




Pure Birch TreS



Pure Maple Nature TreS



Pure Ash Nature TreS



Pure Beech Nature TreS



Pure Oak Select TreS



Pure Oak Nature Plank XT



Pure Oak Nature Plank



Pure Oak Nature MiniPlank



Pure Oak Nature DuoPlank

PURE

PRODUCT DATA	Material code	Dimensions (mm)			Pattern	Surface treatment	Surface effect	Bevel (2 side)	Stained	DoP no.
		Thickness	Width	Length						
Pure Oak Nature TreS	7869015	14	194	2 281	3-strip	Proteco Lacquer	-	-	No	0020-0106
	8723001	13	194	2 281	3-strip	Proteco Lacquer	-	-	No	0020-0104
	7869017	14	194	2 281	3-strip	Proteco Natura	-	-	No	0020-0106
	8723004	13	194	2 281	3-strip	Proteco Natura	-	-	No	0020-0104
	7870038	14	194	2 281	3-strip	*Proteco Hardwax Oil	-	-	No	0020-0106
Pure Oak Nature TreS (brushed)	7870061	14	194	2 281	3-strip	Proteco Natura	Brushed	-	No	0020-0106
Pure Oak Rustic Plank XT	7879004	13	190	2 200	1-strip	Proteco Natura	Brushed	Minibevel	No	0190-0103
	7879003	13	190	2 000	1-strip	Proteco Natura	Brushed	Minibevel	No	0190-0103
Pure Oak Rustic Plank	7876080	14	162	2 200	1-strip	Proteco Natura	Brushed	Minibevel	No	0190-0105
	7876079	14	162	2 000	1-strip	Proteco Natura	Brushed	Minibevel	No	0190-0105
	7876037	14	162	2 200	1-strip	*Proteco Hardwax Oil	Brushed	Minibevel	No	0190-0105
	7876030	14	162	2 000	1-strip		Brushed	Minibevel	No	0190-0105
Pure Oak Rustic MiniPlank	8720008	14	117	1 245	1-strip	Proteco Natura	Brushed	Minibevel	No	0190-0105
Pure Oak Rustic DuoPlank	8727003	13	194	2 281	2-strip	Proteco Natura	Brushed	-	No	0020-0104
Pure Oak Rustic TreS	8723020	13	194	2 281	3-strip	Proteco Lacquer	-	-	No	0190-0103
	8723021	13	194	2 281	3-strip	Proteco Natura	-	-	No	0190-0103
Pure Oak Antique Plank	7876018	14	162	2 200	1-strip	Proteco Natura	Brushed	Maxibevel	No	0190-0105
Pure Walnut TreS	8577007	14	194	2 281	3-strip	Proteco Lacquer	-	-	No	0020-0106
	8577008	14	194	2 281	3-strip	Proteco Natura	-	-	No	0020-0106



Pure Oak Nature TreS



Pure Oak Nature TreS (brushed)



Pure Oak Rustic Plank XT



Pure Oak Rustic Plank



Pure Oak Rustic MiniPlank



Pure Oak Rustic DuoPlank



Pure Oak Rustic TreS



Pure Oak Antique Plank



Pure Walnut TreS

The pictures only present the colour of the floor. For more details regarding grading and variations see the Grading Book or www.tarkett.com. Tarkett's international range of floors comprises many different products. Some of these may not be for sale in your country. Although every care has been taken to reproduce images that reflect the finished product, the quality of monitor and printer and the nature of wood results in variations in the color and structure of individual planks.

*In stained products with hardwax oiled colour variations can occur in the surface. This is natural for hardwax oiled floors, even small variations of oiling and the pigment can be seen in the finished product.

For further and latest information please visit www.tarkett.com